1st and final bill

Name of work: Drilling of borewell and construction of RO plants in ward no-04 of yelahanka Satellite town sub division

Work Order No: BBMP / EE/ YNK.D / EPMT- 02 /W.O / /2020-21 dt:

JOB NUMBER: 004-20-000093

Estimate Cost: 30.00 lakhs.

As No: EE/ YNK.D/ AS / 86/2019-20 dt 26-2-2020

Ts No : SE / YNK.Z/ TS / 42 /2019-20 dt 4-3-2020.

Name of Contractor : Sri R Ranganath

MEASUREMENTS

Sl	Description of item	Unit	No	L	B	D	Qty	Rate	Amount
1	Geophysical investigation of site for sinking Borewell for supplying drinking water to the habitation either through the Hand pump, MWS of P.W.S.S by vertical electrical sounding by adopting Venner or Schlumberger's method, including reconnaissance survey of geological formation, Gerophysical investigation of existing Ground Wate in the vicinity, its qualityf 1.0 meter in consolidated formation for proper seating of casing pipe, depth of drilling required to cover full depth of aquifer proposed to be tapped, probable yield and other information required including transportation of instrument and accessories to work site., engaging techinical personal and labour required etc., as per Specification and direction (P.47, I 9.4) PRED.SR 2019-20	Nos							
	Judicial layout 26 th main near Sangolli rayanna park		1				1		
	Judicial layout 8th main road near jnanadeepika school		1				1		
	7th B main road near RO plant		1				1		
							3	3881.04	11643.00

Ranganath
5/10/2020

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಯಲಹಂಕ ಉಪನಗರ ಅಧಿಪತಿಭಾಗ.
ಬ.ಬ.ಎಂ.ಪಿ. ಬೆಂಗಳೂರು-106

Sl	Description of Item	Unit	No	L	B	D	Qty	Rate	Amount
2	Sinking borewell of 165 mm dia clear using super fast hydraulic rig of capacity 250 PSIG & above CFM & above in all strats including over burden upto 20 mts fixing of casing pipes, collars and cap with necessary cutting, throading and welding including transportation of rig and supporing vehicles, crew charges and cost of consumables etc., complete including yield testing at the final depth with a minimum working of compressor for one hour (excluding coat of casing pipes, collars, cap etc.,) Page no. 46 / I. 9.1 PRED SR 2019-20								
	0-50 00mtr								
	Judicial layout 26 th main near Sangolli rayanna park	Mtr	1	50			50		
	Judicial layout 8th main road near jnanadeepika school	Mtr	1	50			50		
	7th B main road near RO plant	Mtr	1	50			50		
							150.00	357.41	**53612.00**
	50-100 00mtr								
	Judicial layout 26 th main near Sangolli rayanna park	Mtr	1	50			50		
	Judicial layout 8th main road near jnanadeepika school	Mtr	1	50			50		
	7th B main road near RO plant	Mtr	1	50			50		
							150.00	455.26	**68289.00**
	100-150 00mtr								
	Judicial layout 26 th main near Sangolli rayanna park	Mtr	1	50			50		
	Judicial layout 8th main road near jnanadeepika school	Mtr	1	50			50		
	7th B main road near RO plant	Mtr	1	50			50		
							150.00	469.68	**70452.00**
	150-200mtr								
	Judicial layout 26 th main near Sangolli rayanna park	Mtr	1	50			50		
	Judicial layout 8th main road near jnanadeepika school	Mtr	1	50			50		
	7th B main road near RO plant	Mtr	1	50			50		
							150.00	552.08	**82812.00**
	200-250 mtr								
	Judicial layout 26 th main near Sangolli rayanna park	Mtr	1	50			50		
	Judicial layout 8th main road near jnanadeepika school	Mtr	1	50			50		
	7th B main road near RO plant	Mtr	1	50			50		
							150.00	653.02	**97953.00**
	250-300mtr								
	Judicial layout 26 th main near Sangolli rayanna park	Mtr	1	50			50		
	Judicial layout 8th main road near jnanadeepika school	Mtr	1	50			50		
	7th B main road near RO plant	Mtr	1	50			50		
							150.00	721.00	**108150.00**
	300-350mtr								
	Judicial layout 26 th main near Sangolli rayanna park	Mtr	1	50			50		

Ramanjeeraih 12/10/2020

CAFE 12/10/2020

Sl	Description of item	Unit	No	L	B	D	Qty	Rate	Amount
	Judicial layout 8th main road near jnanadeepika school	Mtr	1	50			50		
	7th B main road near RO plant	Mtr	1	50			50		
							150.00	849.75	127463.00
	350mtr and above								
	Judicial layout 26 th main near Sangolli rayanna park	Mtr	1	81			81		
	Judicial layout 8th main road near jnanadeepika school	Mtr	1	81			81		
	7th B main road near RO plant	Mtr	1	82			82		
							244.00	849.75	207339.00
9	Supply of ISI mark 175 mm nominal bore medium black ERW casing pipe of 5 mm thick black electric resistance continuous welded mild steel tube material confirming to IS 1387 / 1993 & manufactured from hot rolled steel skelp / stripes in random length of 4 to 7 mts both ends threaded confirming to IS 554 / 1985, one end fixed with a socket and the other and with a plastic protection end (including of all taxes) SE PRED III NO 84	Rmtr							
	Judicial layout 26 th main near Sangolli rayanna park		1	30.00			30.00		
			1	30.00			30.00		
			1	5.00			5.00		
	Judicial layout 8th main road near jnanadeepika school		1	30.00			30.00		
			1	30.00			30.00		
	7th B main road near RO plant		1	30.00			30.00		
			1	25.00			25.00		
							180.00	1364.75	245655.00
10	Providing and fixing in trenches galvanised / mild steel tubes (medium grade) 50mm dia nominal bore with all fittings (earth work in trenches to be measured and paid for separately) including cost of all materials, labour charges, HOM and testing complete as per specifications. Specification No.KBS 13.2.14 / 13.6 (P. No.92/ I. No. 13.15 KPWD SR 2018-19)	mtr							
	Judicial layout 26 th main near Sangolli rayanna park		53	6.00			318.00		
	Judicial layout 8th main road near jnanadeepika school		50	6.00			300.00		
	7th B main road near RO plant		46	6.00			276.00		
							894.00	423.62	378716.00
11	Providing 250mm dia PVC Pipe BWSSB SR 17-18 PNO 133 SL NO 1.11	mtr							
	Judicial layout 26 th main near Sangolli rayanna park		1	15.00			15.00		
	Judicial layout 8th main road near jnanadeepika school		1	10.00			10.00		
	7th B main road near RO plant		1	11.00			11.00		
							36.00	1393.59	50169.00
12	Providing 175mm dia ms casing cap page no III it no 85 pred 12-13 sr	no							

Ramareswara AE 12/10/2020

29/10/2020

Ramareswara 29/10/2020

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರ
ಯಲಹಂಕ ಉಪನಗರ ಉಪವಿಭಾಗ-1
ಬಿ.ಬಿ.ಎಂ.ಪಿ, ಬೆಂಗಳೂರು-106
29/10/2020

Sl	Description of item	Unit	No	L	B	D	Qty	Rate	Amount
	Judicial layout 26 th main near Sangolli rayanna park		1				1		
	Judicial layout 8th main road near jnanadeepika school		1				1		
	7th B main road near RO plant		1				1		
							3	103.00	309.00
13	Supplying and drawing 3 core flat PVC sheathed submersible pump cable manufactured with electrolytic grade copper with flexible copper with low resistance conductor confirming to IS:8130-1984 and virgin grade PVC insulation and powder coating extruded PVC sheathed suitable for working voltage upto 1100Volts as per IS-694:1990. P. No. 7/ I No. (2.6.4) 3cx 6.0 Sqm KPWD Electrical SR 2019-20	Mtr							
	Judicial layout 26 th main near Sangolli rayanna park		2	328.00			656.00		
	Judicial layout 8th main road near jnanadeepika school		2	322.00			644.00		
	7th B main road near RO plant		2	280.00			560.00		
							1860.00	211.15	392739.00
14	Atalanta,Suguna,CRI KIRLOSKER AND other equipment pumps 15.00 HP/11KW(30 Stage)P. No. XLII I No.43) (K.P.W.D SR 2018-19)	Nos							
	Judicial layout 26 th main near Sangolli rayanna park		1				1		
	Judicial layout 8th main road near jnanadeepika school		1				1		
	7th B main road near RO plant		1				1		
							3	65402.94	196209.00
15	Supplying, fixing, wiring, earth electrode for grounding conduits, I.C. cutouts and other equipment's on the meter board using 40mm dia 2.90mm thick GI pipe 2.5 mtr long buried in a pit ... The pit should be filled with equal proportion of salt and charcoal 150mm all-round the pipe to complete depth. The connection from the pipe to the conduit etc., is to be established through GI wire of size as per ISI specification 7.3.3. of IS 732 using 12mm dia bolts, nuts, washers and check nuts etc., the pipe shall have 16 through holes of 12 mm dia (P No.40, I No. 6.1) KPWD Electrical SR 2019-20	NO							
	Judicial layout 26 th main near Sangolli rayanna park		1				1		
	Judicial layout 8th main road near jnanadeepika school		1				1		
	7th B main road near RO plant		1				1		
							3	3089.69	9269.00

Ramesanjeeva
9/11/2020

ಸಹಾಯಕ ಕಾರ್ಯ ಪಾಲಕ ಅಭಿಯಂತರರು
ಯಲಹಂಕ ಉಪನಗರ ಉಪವಿಭಾಗ
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬೆಂಗಳೂರು-106

Sl	Description of item	Unit	No	L	B	D	Qty	Rate	Amount
16	Supplying and Fixing 20"x20"x2.5"polished wood board made up not less than 15mm thick plank with front plank one end providing for olding at other end fixing the same to the valve using tapered bolts and nuts, (P No. 24 No.5.6.6 KPWD Electrical SR 2019-20)	Each							
	Judicial layout 26 th main near Sangolli rayanna park		1				1		
	Judicial layout 8th main road near jnanadeepika school		1				1		
	7th B main road near RO plant		1				1		
							3	300.76	902.00
17	Supplying of 1.1 KV LT UG cable having aluminium condutor PVC insulated shethed, EXTREDED INNER SHEATHRD galvnised steel,stirp (2CX 10Sqm.mm wire armoured) confirming IS 3975;1990(no.of strip indicated i GTP) AND extruded PVC outer sheathing armoured cable IS 1554 part 1;1998 and confirming to GTP of group.A.4 Core 16Sqmm.P No.40/ I No.6.4.4 (4 core 16 Sqmm) KPWD Electrical SR 2019-20	Mtr							
	Judicial layout 26 th main near Sangolli rayanna park		1	30.00			30		
	Judicial layout 8th main road near jnanadeepika school		1	30.00			30		
	7th B main road near RO plant		1	30.00			30		
							90	154.50	13905.00
18	Labour charges for laying of 1.1 K.V class UG cable, in existing trench GI Pipe / stoneware pipe /on wall/on poles as required In existing trencg/duct 6 Sqmm to 16 Sqmm)P No. 41 / I No. 6.5.1 KPWD Electrical SR 2019-20	Mtr							
	Judicial layout 26 th main near Sangolli rayanna park		1	25.00			25		
	Judicial layout 8th main road near jnanadeepika school		1	25.00			25		
	7th B main road near RO plant		1	25.00			25		
							75	12.24	918.00
19	Supplying and fixing of procelin fuse channel with e on existing wooden / panel using necessary nuts, bolts and washers , 63 Amps (P No. 44 / I No. 5.7.3 KPWD Electrical SR 2019-20)	Each							
	Judicial layout 26 th main near Sangolli rayanna park		1				1		
	Judicial layout 8th main road near jnanadeepika school		1				1		
	7th B main road near RO plant		1				1		
							3	233.81	701.00

Ramangeevan. 17/11/2020

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಯಲಹಂಕ ಉಪನಗರ ಉಪವಿಭಾಗ/2020
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬೆಂಗಳೂರು-106

Sl	Description of item	Unit	No	L	B	D	Qty	Rate	Amount
20	Providing and fixing in position 50mm nominal bore non-return valve horizontal type of approved make including cost of all materials, labour and HOM of equipments with all leads complete as per specifications (Page No.95 Item No. 13.62 / PWD SR 2018-19)	Nos							
	Judicial layout 26 th main near Sangolli rayanna park		1						
	Judicial layout 8th main road near jnanadeepika school		1				1		
	7th B main road near RO plant		1				1		
							1		
							3	1385.49	4156.00
21	Supplying and fixing maniature circuit breakers on existing MCB Distribution boards using necessary fixing materials and 'C' Type curve, indicator ON/OFF, Energy cross -3 with short circuit breaking capacity of 10K And Completed wiring confirming to IEC 60898 50-63 Amps TPN (P. No. 27 I No.5.17.9) KPWD Electrical SR 2019-20	Each							
	Judicial layout 26 th main near Sangolli rayanna park		1				1		
	Judicial layout 8th main road near jnanadeepika school		1				1		
	7th B main road near RO plant		1				1		
							3	2468.91	7407.00
22	Cutting of road surface for pipeline trenches and disposing of the excavated stuff as directed including barricading, danger lighting etc., in the Asphalt surface road including cost of materials, labour, HOM complete as per specifications. (P. No.269/ I No 37.38 PWD SR 2018-19)	Cum							
	LBS nagara main road		1	30.00	0.60	0.15	2.70		
			1	30.00	0.60	0.15	2.70		
			1	30.00	0.60	0.15	2.70		
			1	30.00	0.60	0.15	2.70		
			1	30.00	0.60	0.15	2.70		
			1	30.00	0.60	0.15	2.70		
			1	30.00	0.60	0.15	2.70		
			1	30.00	0.60	0.15	2.70		
			1	30.00	0.60	0.15	2.70		
			1	30.00	0.60	0.15	2.70		
			1	30.00	0.60	0.15	2.70		
			1	30.00	0.60	0.15	2.70		
			1	30.00	0.60	0.15	2.70		
			1	30.00	0.60	0.15	2.70		
			1	30.00	0.60	0.15	2.70		
			1	30.00	0.60	0.15	2.70		
			1	30.00	0.60	0.15	2.70		
			1	30.00	0.60	0.15	2.70		
			1	30.00	0.60	0.15	2.70		
			1	30.00	0.60	0.15	2.70		
			1	30.00	0.60	0.15	2.70		
			1	30.00	0.60	0.15	2.70		
			1	30.00	0.60	0.15	2.70		
			1	20.00	0.60	0.15	1.80		
							50.40	490.22	24707.00

ಸಹಾಯಕ ಕಾರ್ಯನಿರ್ವಾಹಕ ಅಭಿಯಂತರರು
ಯಲಹಂಕ ಉಪನಗರ ಕಛೇರಿ 6/11/2020

Sl	Description of item	Unit	No	L	B	D	Qty	Rate	Amount
23	KSRB 2-2 : Earthwork excavation by manual means for foundation of buildings, water supply and sanitary lines and electrical conduits etc, either in pits or in trenches 1.5m and above in width, in soil not exceeding 1.5 m. in depth including dressing the bottom and sides of pits and trenches, stacking the excavated soil clear from edges of excavation with lead upto 50 m. including breaking of clods complete as per specifications. (P. No.6/ I No 2.3 PWD SR 2018-19)	Cum							
	Premeasument Recorded vide excel sheet page no						352.80	326.45	115171.56
24	Supplying PVC ring tight pipes conformin to IS 4980 :2000 With latest amendments and conveying to work site rolling and lowering into trenches laying true line level and prefect linking at joints testing and commissoning incuding loading and un loading at both destinations and cuts of pipes wherever neccessary including joints of PVC pipes and specificals (excluding cost of pipes)with jointing of approvel type with all labour with all lead and lift incuding encasing the pipe alround to adepth of not less then 15cms with soft gravel or selected earth availble from the excavation etc., completed and giving necessary hydralic test to the required pressure as per IS (Contractor will make his own arrangement for procuring water for testing)(P. No.133 I No 1.4 BWSSB SR 2018-19) 63mm outer dia, 6kg/sqcm & class 5	Mtr							
	Premeasument Recorded vide excel sheet page no						840.00	125.66	105554.00
25	Refilling available earth around pipe lines, cables in layers not exceeding 20cms in depth, compacting each deposited layer by ramming after watering with lead upto 50m and lift upto 1.5 m. includingcost of all labour complete as per specifications. P. No. 7.1/ I No. (2.11) KPWD SR 2018-19	Cum							
	Premeasument Recorded vide excel sheet page no						352.44	132.11	46561.00

Ramalingesh.

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರ
ಯಲಹಂಕ ಉಪನಗರ ಉಪವಿಭಾಗ
ಬ.ಬ.ಎಂ.ಪಿ. ಬೆಂಗಳೂರು-106

Sl	Description of item	Unit	No	L	B	D	Qty	Rate	Amount
26	KSRRB M400-17. Providing, laying, spreading and compacting cushed stone aggregates of granite / trap / basalt to wet mix macadam specifications including pre mixing the material with water at OMC in mechanical mix plant carriage of mixed materials by tipper to site, laying in uniform layers with paver in sub-base/base course on well prepared surface and compacting with vibratory roller to achieve the desired density complete as per specifications(P.No-155,I No-20.18 of PWD BCSR 2018-19)	Cum							
	Premeasument Recorded vide excel sheet page no						115.78	2061.32	238664.00
27	Supplying fully automatic star-delta starter unit push button type with suitable wires, 3 contactors, one adjustable thermal timer mounted on a common base plate held in steel enclosure for use on 400/440 volts 3 phase and wired after fixing to the existing wooden board for motor.Above 12.5 HP upto 25 HP (P No. 24 / I No.5.2.2 KPWD Electrical SR 2019-20)	Nos							
	Judicial layout 26 th main near Sangolli rayanna park		1				1		
	Judicial layout 8th main road near jnanadeepika school		1				1		
	7th B main road near RO plant		1				1		
							3	8240.00	24720.00
							Sub Total		2684145.56
							GST 12%		322097.47
							Grand Total		3006243.00

Ramasanjeevaiah
28/1/2021.

CHC

ಸಹಾಯಕ ಕಾರ್ಯ ಪಾಲಕ ಇಂಜಿನಿಯರ್
ಯಲಹಂಕ ಉಪನಗರ ಉಪ ವಿಭಾಗ
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬೆಂಗಳೂರು-106
28/01/2021

1st and final bill

Name of work: Drilling of borewell and construction of RO plants in ward no-04 of yelahanka Satellite town sub division

Work Order No: BBMP / EE/ YNK.D / EPMT- 02 /W.O / /2020-21 dt:

JOB NUMBER: 004-20-000093

Estimate Cost: 30.00 lakhs.

AS No: EE/ YNK.D/ AS / 86/2019-20 dt 26-2-2020

TS No : SE / YNK.Z/ TS / 42 /2019-20 dt 4-3-2020.

Name of Contractor : Sri R Ranganath

PRE - MEASUREMENTS

Sl No	Description of Item	Unit	No	L	B	D	Qty	Rate	Amount
23	KSRB 2-2 : Earthwork excavation by manual means for foundation of buildings, water supply and sanitary lines and electrical conduits etc, either in pits or in trenches 1.5m and above in width, in soil not exceeding 1.5 m. in depth including dressing the bottom and sides of pits and trenches, stacking the excavated soil clear from edges of excavation with lead upto 50 m. including breaking of clods complete as per specifications.	Cum							
	for pipe line								
	LBS nagara main road		1	30.00	0.60	0.75	13.50		
			1	30.00	0.60	0.75	13.50		
			1	30.00	0.60	0.75	13.50		
			1	30.00	0.60	0.75	13.50		
			1	30.00	0.60	0.75	13.50		
			1	30.00	0.60	0.75	13.50		
			1	30.00	0.60	0.75	13.50		
			1	30.00	0.60	0.75	13.50		
			1	30.00	0.60	0.75	13.50		
			1	30.00	0.60	0.75	13.50		
			1	30.00	0.60	0.75	13.50		
			1	30.00	0.60	0.75	13.50		
			1	30.00	0.60	0.75	13.50		
			1	30.00	0.60	0.75	13.50		
			1	30.00	0.60	0.75	13.50		
			1	30.00	0.60	0.75	13.50		
			1	30.00	0.60	0.75	13.50		
			1	30.00	0.60	0.75	13.50		
			1	30.00	0.60	0.75	13.50		
			1	30.00	0.60	0.75	13.50		
			1	30.00	0.60	0.75	13.50		
			1	30.00	0.60	0.75	13.50		
			1	30.00	0.60	0.75	13.50		
			1	30.00	0.60	0.75	13.50		
			1	30.00	0.60	0.75	13.50		
			1	30.00	0.60	0.75	13.50		
			1	30.00	0.60	0.75	13.50		
			1	30.00	0.60	0.75	13.50		
			1	30.00	0.60	0.75	13.50		
			1	30.00	0.60	0.75	13.50		
			1	30.00	0.60	0.75	13.50		

Ramanjeaval 7/12/2021

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಯಲಹಂಕ ಉಪನಗರ ಉಪವಿಭಾಗ/2020

il lo	Description of item	Unit	No	L	B	D	Qty	Rate	Amount
			1	30.00	0.60	0.75	13.50		
			1	30.00	0.60	0.75	13.50		
			1	4.00	0.60	0.75	1.80		
						Qty	352.80		
4	Supplying PVC ring tight pipes conformin to IS 4980 :2000 With latest amendments and conveying to work site rolling and lowering into trenches laying true line level and prefect linking at joints testing and commissoning incuding loading and un loading at both destinations and cuts of pipes wherever neccessary including joints of PVC pipes and specificals (excluding cost of pipes)with jointing of approvel type with all labour with all lead and lift incuding encasing the pipe alround to adepth of not less then 15cms with soft gravel or selected earth availble from the excavation etc., completed and giving necessary hydralic test to the required pressure as per IS (Contractor will make his own arrangement for procuring water for testing)(P No.133 I No 1.4 BWSSB SR 2018-19) 63mm outer dia, 6kg/sqcm & class 5	Rmt							
	LBS nagara main road		1	30.00			30.00		
			1	30.00			30.00		
			1	30.00			30.00		

Sl No	Description of item	Unit	No	L	B	D	Qty	Rate	Amount
5	Refilling available earth around pipe lines, cables in layers not exceeding 20cms in depth, compacting each deposited layer by ramming after watering with lead upto 50m. and lift upto 1.5 m. includingcost of all labour complete as per specifications	Cum							
	for pipe line								
	LBS nagara main road		1	30.00	0.60	0.60	10.80		
			1	30.00	0.60	0.60	10.80		
			1	30.00	0.60	0.60	10.80		
			1	30.00	0.60	0.60	10.80		
			1	30.00	0.60	0.60	10.80		
			1	30.00	0.60	0.60	10.80		
			1	30.00	0.60	0.60	10.80		
			1	30.00	0.60	0.60	10.80		
			1	30.00	0.60	0.60	10.80		
			1	30.00	0.60	0.60	10.80		
			1	30.00	0.60	0.60	10.80		
			1	30.00	0.60	0.60	10.80		
			1	30.00	0.60	0.60	10.80		
			1	30.00	0.60	0.60	10.80		
			1	30.00	0.60	0.60	10.80		
			1	30.00	0.60	0.60	10.80		
			1	30.00	0.60	0.60	10.80		
			1	30.00	0.60	0.60	10.80		
			1	30.00	0.60	0.60	10.80		
			1	30.00	0.60	0.60	10.80		
			1	30.00	0.60	0.60	10.80		
			1	30.00	0.60	0.60	10.80		
			1	30.00	0.60	0.60	10.80		
			1	30.00	0.60	0.60	10.80		
			1	30.00	0.60	0.60	10.80		
			1	30.00	0.60	0.60	10.80		
			1	30.00	0.60	0.60	10.80		
			1	30.00	0.60	0.60	10.80		
			1	30.00	0.60	0.60	10.80		
			1	30.00	0.60	0.60	10.80		
			1	4.00	0.60	0.60	1.44		
			1	30.00	0.75	0.90	20.25		
			1	30.00	0.75	0.90	20.25		
			1	30.00	0.75	0.90	20.25		
			1	14.00	0.75	0.90	9.45		
						Qty	352.44		

Ramalingaiah
19/12/2020

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಯಲಹಂಕ ಉಪನಗರ ಉಪವಿಭಾಗ, 2020
ಬ.ಬ.ಎಂ.ಪಿ. ಬೆಂಗಳೂರು-106

Sl No	Description of item	Unit	No	L	B	D	Qty	Rate	Amount
26	KSRRB M400-17. Providing, laying, spreading and compacting cushed stone aggregates of granite / trap / basalt to wet mix macadam specifications including pre mixing the material with water at OMC in mechanical mix plant carriage of mixed materials by tipper to site, laying in uniform layers with paver in sub-base/base course on well prepared surface and compacting with vibratory roller to achieve the desired density complete as per specifications	Cum							
	LBS nagara main road		1	30.00	0.60	0.23	4.14		
			1	30.00	0.60	0.23	4.14		
			1	30.00	0.60	0.23	4.14		
			1	30.00	0.60	0.23	4.14		
			1	30.00	0.60	0.23	4.14		
			1	30.00	0.60	0.23	4.14		
			1	30.00	0.60	0.23	4.14		
			1	30.00	0.60	0.23	4.14		
			1	30.00	0.60	0.23	4.14		
			1	30.00	0.60	0.23	4.14		
			1	30.00	0.60	0.23	4.14		
			1	30.00	0.60	0.23	4.14		
			1	30.00	0.60	0.23	4.14		
			1	30.00	0.60	0.23	4.14		
			1	30.00	0.60	0.23	4.14		
			1	30.00	0.60	0.23	4.14		
			1	30.00	0.60	0.23	4.14		
			1	30.00	0.60	0.23	4.14		
			1	30.00	0.60	0.23	4.14		
			1	30.00	0.60	0.23	4.14		
			1	30.00	0.60	0.23	4.14		
			1	30.00	0.60	0.23	4.14		
			1	30.00	0.60	0.23	4.14		
			1	30.00	0.60	0.23	4.14		
			1	30.00	0.60	0.23	4.14		
			1	30.00	0.60	0.23	4.14		
			1	30.00	0.60	0.23	4.14		
			1	30.00	0.60	0.23	4.14		
			1	30.00	0.60	0.23	4.14		
			1	30.00	0.60	0.23	4.14		
			1	4.00	0.60	0.23	0.55		
			1	25.00	0.60	0.23	3.45		
			1	30.00	0.60	0.23	4.14		
						Qty	115.78		

Ramesangaerich

28/12/2020

C&FC

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಇಂಜಿನಿಯರ್/ 28/12/2020
ಯಲಹಂಕ ಉಪನಗರ ಉಪವಿಭಾಗ,
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬೆಂಗಳೂರು-106